

WEST[Help](#)[Logout](#)[Interrupt](#)[Main Menu](#)[Search Form](#)[Posting Counts](#)[Show 8 Numbers](#)[Edit 8 Numbers](#)[Preferences](#)[Cases](#)**Search Results -**

Terms	Documents
L3 and tempo\$3	0

Database:

US Patents Full-Text Database	▲
US Pre-Grant Publication Full-Text Database	
JPO Abstracts Database	
EPO Abstracts Database	
Derwent World Patents Index	
IBM Technical Disclosure Bulletins	▼

Search:

L4	▲
	▼

[Refine Search](#)[Recall Text](#)[Clear](#)**Search History**
DATE: Friday, April 04, 2003 [Printable Copy](#) [Create Case](#)
Set Name Query
 side by side

Hit Count Set Name
 result set
DB=USPT; PLUR=YES; OP=ADJ

<u>L4</u>	L3 and tempo\$3	0	<u>L4</u>
<u>L3</u>	L2 and glass	12	<u>L3</u>
<u>L2</u>	L1 and (sol with gel)	16	<u>L2</u>
<u>L1</u>	((525/54.1)!.CCLS. (536/4.1 536/18.5)!.CCLS.)	2222	<u>L1</u>

END OF SEARCH HISTORY

(FILE 'HOME' ENTERED AT 13:22:51 ON 04 APR 2003)

FILE 'CAPLUS, MEDLINE, USPATFULL, EUROPATFULL, PATOSWO' ENTERED AT
13:23:57 ON 04 APR 2003

L1	45479 S SOL (W) GEL
L2	15367 S L1 AND GLASS
L3	7933 S L2 AND (SYNTHESIS OR PREPARATION)
L4	553 S L3 AND ALKOXYSILANE
L5	439 S L4 AND METAL
L6	178 S L5 AND SYNTHESIS
L7	167 S L6 AND ORGANIC
L8	14 S L7 AND TEMPO?

L8 ANSWER 1 OF 14 USPATFULL

ACCESSION NUMBER: 2003:92890 USPATFULL
TITLE: Method and materials for patterning of a polymerizable,
amorphous matrix with electrically active material
disposed therein
INVENTOR(S): Wolk, Martin B., Woodbury, MN, UNITED STATES
Bellmann, Erika, St. Paul, MN, UNITED STATES
Li, Yingbo, Woodbury, MN, UNITED STATES
Roberts, Ralph R., Cottage Grove, MN, UNITED STATES
Bentsen, James G., North St. Paul, MN, UNITED STATES

	NUMBER	KIND	DATE
PATENT INFORMATION:	US 2003064248	A1	20030403
APPLICATION INFO.:	US 2002-208910	A1	20020730 (10)
RELATED APPLN. INFO.:	Continuation-in-part of Ser. No. US 2001-931598, filed on 16 Aug 2001, PENDING		
DOCUMENT TYPE:	Utility		
FILE SEGMENT:	APPLICATION		
LEGAL REPRESENTATIVE:	Office of Intellectual Property Counsel, 3M Innovative Properties Company, PO Box 33427, St. Paul, MN, 55133-3427		
NUMBER OF CLAIMS:	24		
EXEMPLARY CLAIM:	1		
NUMBER OF DRAWINGS:	3 Drawing Page(s)		
LINE COUNT:	1645		

AB In a method of making an **organic** electroluminescent device, a transfer layer is solution coated on a donor substrate. The transfer layer includes a polymerizable, amorphous matrix with a light emitting material disposed in the matrix. The transfer layer is then selectively patterned on a receptor. The polymerizable, amorphous matrix is then polymerized. Examples of patterning methods include laser thermal transfer or thermal head transfer. The method and associated materials can be used to form, for example, **organic** electroluminescent devices.

L8 ANSWER 2 OF 14 USPATFULL

ACCESSION NUMBER: 2003:76397 USPATEFULL
TITLE: Perfluorinated amide salts and their uses as ionic
conducting materials
INVENTOR(S): Michot, Christophe, Grenoble, FRANCE
Armand, Michel, Montreal, CANADA
Gauthier, Michel, La Prairie, CANADA
Choquette, Yves, Sainte-Julie, CANADA

	NUMBER	KIND	DATE
PATENT INFORMATION:	US 2003052310	A1	20030320
APPLICATION INFO.:	US 2002-253035	A1	20020924 (10)
RELATED APPLN. INFO.:	Continuation of Ser. No. US 2001-858439, filed on 16 May 2001, PENDING Continuation of Ser. No. US 1998-125797, filed on 3 Dec 1998, GRANTED, Pat. No. US 6319428		

	NUMBER	DATE
PRIORITY INFORMATION:	CA 1996-2194127	19961230
	CA 1997-2199231	19970305
	WO 1997-CA1013	19971230

DOCUMENT TYPE: Utility
FILE SEGMENT: APPLICATION
LEGAL REPRESENTATIVE: Patent Group, Choate, Hall & Stewart, Exchange Place,
53 State Street, Boston, MA, 02109-2804

NUMBER OF CLAIMS: 78
EXEMPLARY CLAIM: 1
NUMBER OF DRAWINGS: 2 Drawing Page(s)
LINE COUNT: 4119

AB The invention concerns ionic compounds in which the anionic load has been delocalized. A compound disclosed by the invention is comprised of an amide or one of its salts, including an anionic portion combined with at least one cationic portion M.sup.+m in sufficient numbers to ensure overall electronic neutrality; the compound is further comprised of M as a hydroxonium, a nitrosonium NO.sup.+, an ammonium --NH.sub.4+, a metallic cation with the valence m, an **organic** cation with the valence m, or an organometallic cation with the valence m. The anionic portion matches the formula R.sub.F--SO.sub.x--N.sup.-Z, wherein R.sub.F is a perfluorinated group, x is 1 or 2, and Z is an electroattractive substituent. The compounds can be used notably for ionic conducting materials, electronic conducting materials, colorants, and the catalysis of various chemical reactions.

L8 ANSWER 3 OF 14 USPATFULL

ACCESSION NUMBER: 2002:301722 USPATFULL
TITLE: Film-forming specifically detachable material
INVENTOR(S): Amberg-Schwab, Sabine, Erlabrunn, GERMANY, FEDERAL
REPUBLIC OF
Crnobrnja, Rozalija, Wurzburg, GERMANY, FEDERAL
REPUBLIC OF
Haas, Karl-Heinz, Veitshochneim, GERMANY, FEDERAL
REPUBLIC OF

	NUMBER	KIND	DATE
PATENT INFORMATION:	US 2002169270	A1	20021114
APPLICATION INFO.:	US 2002-138762	A1	20020503 (10)
RELATED APPLN. INFO.:	Division of Ser. No. US 1999-367763, filed on 17 Nov 1999, ABANDONED		

	NUMBER	DATE
PRIORITY INFORMATION:	DE 1997-19757455	19971223
	DE 1998-19822721	19980520
DOCUMENT TYPE:	Utility	
FILE SEGMENT:	APPLICATION	
LEGAL REPRESENTATIVE:	BRINKS HOFER GILSON & LIONE, One Indiana Square, Suite 2425, Indianapolis, IN, 46204	
NUMBER OF CLAIMS:	25	
EXEMPLARY CLAIM:	1	
LINE COUNT:	648	

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB The invention relates to a film-forming material that contains an inorganic/**organic** hybrid polymer and/or hybrid pre-polymer. The film-forming specifically detachable material of the present invention is useful for the **temporary** stabilizing and/or functionalizing of technical or biological surfaces and additionally contains at least one film-forming water- and or alcohol-soluble polymer. The material of the present invention is generally one in which the hybrid polymer or hybrid pre-polymer, is formed through hydrolytic precondensation, possibly in the presence of at least one condensation catalyst, of at least one organofunctional silane of the formula (I)

RSiX.sub.3 (I)

wherein X stands for a hydrolizable and condensable group and R for a networkable **organic** residue. A colloidal solution is formed and applied to a desired surface to precipitate the colloid and cause

networking of the hybrid pre-polymers with each other to form the specifically detachable, film-forming material on the desired surface.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L8 ANSWER 4 OF 14 USPATFULL

ACCESSION NUMBER: 2002:119474 USPATFULL

TITLE: Toner for developing electrostatic latent image, image forming method and image forming apparatus using the same

INVENTOR(S): Okuno, Hiroyoshi, Minamiashigara-shi, JAPAN
Matsumoto, Akira, Minamiashigara-shi, JAPAN
Kubo, Tsutomu, Minamiashigara-shi, JAPAN
Lee, Teigen, Minamiashigara-shi, JAPAN
Shibuya, Yuusaku, Minamiashigara-shi, JAPAN
Sugizaki, Yutaka, Minamiashigara-shi, JAPAN

PATENT ASSIGNEE(S): FUJI XEROX CO., LTD. (non-U.S. corporation)

	NUMBER	KIND	DATE
PATENT INFORMATION:	US 2002061457	A1	20020523
APPLICATION INFO.:	US 2001-962587	A1	20010926 (9)

	NUMBER	DATE
PRIORITY INFORMATION:	JP 2000-293433	20000927
DOCUMENT TYPE:	Utility	
FILE SEGMENT:	APPLICATION	
LEGAL REPRESENTATIVE:	OLIFF & BERRIDGE, P.O. BOX 19928, ALEXANDRIA, VA, 22320	
NUMBER OF CLAIMS:	17	
EXEMPLARY CLAIM:	1	
NUMBER OF DRAWINGS:	1 Drawing Page(s)	
LINE COUNT:	1121	

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB A toner for developing an electrostatic latent image, including toner particles containing a binder resin and a colorant, and an external additive, is provided. The external additive contains silica of which the surface is subjected to hydrophobic treatment and which has an average primary particle size of 80 to 300 nm, a water content of 3 to 15% and a volume resistivity of 1.times.10.sup.13 .OMEGA.cm or more. The invention further provides an image forming method and an image forming apparatus using the same. The toner for developing an electrostatic latent image is good in transferability over a long period of time and gives a high image quality without causing an image defect.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L8 ANSWER 5 OF 14 USPATFULL

ACCESSION NUMBER: 2002:16771 USPATFULL

TITLE: Perfluorinated amide salts and their uses as ionic conducting materials

INVENTOR(S): Michot, Christophe, Grenoble, FRANCE
Armand, Michel, Montreal, CANADA
Gauthier, Michel, La Prairie, CANADA
Choquette, Yves, Sainte-Julie, CANADA

	NUMBER	KIND	DATE
PATENT INFORMATION:	US 2002009650	A1	20020124
APPLICATION INFO.:	US 2001-858439	A1	20010516 (9)
RELATED APPLN. INFO.:	Continuation of Ser. No. US 1998-125797, filed on 3 Dec 1998, PENDING		

NUMBER	DATE
--------	------

PRIORITY INFORMATION: CA 1996-2194127 19961230
 CA 1997-2199231 19970305
 DOCUMENT TYPE: Utility
 FILE SEGMENT: APPLICATION
 LEGAL REPRESENTATIVE: OBLON, SPIVAK, McCLELLAND, MAIER & NEUSTADT, P.C.,
 Fourth Floor, 1755 Jefferson Davis Highway, Arlington,
 VA, 22202
 NUMBER OF CLAIMS: 78
 EXEMPLARY CLAIM: 1
 NUMBER OF DRAWINGS: 2 Drawing Page(s)
 LINE COUNT: 4121
 CAS INDEXING IS AVAILABLE FOR THIS PATENT.
 AB The invention concerns ionic compounds in which the anionic load has
 been delocalized. A compound disclosed by the invention is comprised of
 an amide or one of its salts, including an anionic portion combined with
 at least one cationic portion M.sup.+m in sufficient numbers to ensure
 overall electronic neutrality; the compound is further comprised of M as
 a hydroxonium, a nitrosonium NO.sup.+, an ammonium --NH.sub.4+, a
 metallic cation with the valence m, an **organic** cation with the
 valence m, or an organometallic cation with the valence m. The anionic
 portion matches the formula R.sub.F--SO.sub.x--N.sup.-Z, wherein R.sub.F
 is a perfluorinated group, x is 1 or 2, and Z is an electroattractive
 substituent. The compounds can be used notably for ionic conducting
 materials, electronic conducting materials, colorants, and the catalysis
 of various chemical reactions.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L8 ANSWER 6 OF 14 USPATFULL

ACCESSION NUMBER: 2001:210462 USPATFULL
 TITLE: Porous solid for gas adsorption separation and gas
 adsorption separation process employing it
 INVENTOR(S): Miyazawa, Kohji, Aichi-gun, Japan
 Inagaki, Shinji, Aichi-gun, Japan
 PATENT ASSIGNEE(S): KABUSHIKI KAISHA TOYOTA CHUO KENKYUSHO, Aichi-gun,
 Japan, 480-1192 (non-U.S. corporation)

	NUMBER	KIND	DATE
PATENT INFORMATION:	US 2001042440	A1	20011122
	US 6346140	B2	20020212
APPLICATION INFO.:	US 2001-820940	A1	20010330 (9)

	NUMBER	DATE
PRIORITY INFORMATION:	JP 2000-99564	20000331
DOCUMENT TYPE:	Utility	
FILE SEGMENT:	APPLICATION	
LEGAL REPRESENTATIVE:	OBLON SPIVAK MCCLELLAND MAIER & NEUSTADT PC, FOURTH FLOOR, 1755 JEFFERSON DAVIS HIGHWAY, ARLINGTON, VA, 22202	
NUMBER OF CLAIMS:	19	
EXEMPLARY CLAIM:	1	
NUMBER OF DRAWINGS:	10 Drawing Page(s)	
LINE COUNT:	1322	

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB A gas adsorption separation process characterized by adsorption
 separation of components in a gas by contacting the gas with a porous
 solid which is a porous solid having an X-ray diffraction pattern with
 at least one peak at a diffraction angle corresponding to a d value of 1
 nm or greater; and

having a nitrogen adsorption isotherm measured at liquid nitrogen

temperature with at least one section where the change in nitrogen adsorption in terms of the volume of nitrogen under standard conditions is 50 ml/g or greater with a relative vapor pressure change of 0.1 in a relative vapor pressure range of 0.2-0.8;

wherein the porous solid possesses mesopores with a median pore size of 2-50 nm in the pore size distribution curve and pore walls that are porous.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L8 ANSWER 7 OF 14 USPATFULL

ACCESSION NUMBER: 2001:208411 USPATFULL
TITLE: Perfluorinated amide salts and their uses as ionic conducting materials
INVENTOR(S): Michot, Christophe, Grenoble, France
Armand, Michel, Montreal, Canada
Gauthier, Michel, La Prairie, Canada
Choquette, Yves, Sainte-Julie, Canada
PATENT ASSIGNEE(S): Hydro-Quebec, Montreal, Canada (non-U.S. corporation)
Centre National de la Recherche Scientifique, Paris, France (non-U.S. corporation)

	NUMBER	KIND	DATE
PATENT INFORMATION:	US 6319428	B1	20011120
	WO 9829388		19980709
APPLICATION INFO.:	US 1998-125797		19981203 (9)
	WO 1997-CA1013		19971230
			19981203 PCT 371 date
			19981203 PCT 102(e) date

	NUMBER	DATE
PRIORITY INFORMATION:	CA 1996-2194127	19961230
	CA 1997-2199231	19970305
DOCUMENT TYPE:	Utility	
FILE SEGMENT:	GRANTED	
PRIMARY EXAMINER:	Kopec, Mark	
LEGAL REPRESENTATIVE:	Hutchins, Wheeler & Dittmar	
NUMBER OF CLAIMS:	46	
EXEMPLARY CLAIM:	1	
NUMBER OF DRAWINGS:	2 Drawing Figure(s); 2 Drawing Page(s)	
LINE COUNT:	5266	

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB The invention concerns ionic compounds in which the anionic load has been delocalized. A compound disclosed by the invention is comprised of an amide or one of its salts, including an anionic portion combined with at least one cationic portion $M^{sup.+m}$ in sufficient numbers to ensure overall electronic neutrality; the compound is further comprised of M as a hydroxonium, a nitrosonium $NO^{sup.+}$, an ammonium $--NH^{sub.4+}$, a metallic cation with the valence m, an **organic** cation with the valence m, or an organometallic cation with the valence m. The anionic portion matches the formula $R^{sub.F}--SO^{sub.x}--N^{sup.-}Z$, wherein $R^{sub.F}$ is a perfluorinated group, x is 1 or 2, and Z is an electroattractive substituent. The compounds can be used notably for ionic conducting materials, electronic conducting materials, colorants, and the catalysis of various chemical reactions.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L8 ANSWER 8 OF 14 USPATFULL

ACCESSION NUMBER: 2001:153145 USPATFULL
TITLE: Fluoroalkyl-functional organopolysiloxane-containing

compositions based on water, a process for their
preparation and their use

INVENTOR(S): Standke, Burkhard, Loerrach, Germany, Federal Republic
of
Edelmann, Roland, Wehr, Germany, Federal Republic of
Frings, Albert-Johannes, Rheinfelden, Germany, Federal
Republic of
Horn, Michael, Rheinfelden, Germany, Federal Republic
of
Jenkner, Peter, Rheinfelden, Germany, Federal Republic
of
Laven, Ralf, Niederdossenbach, Germany, Federal
Republic of
Mack, Helmut, Rheinfelden, Germany, Federal Republic of
Monkiewicz, Jaroslaw, Rheinfelden, Germany, Federal
Republic of

PATENT ASSIGNEE(S): Degussa-Huels Aktiengesellschaft, Frankfurt am Main,
Germany, Federal Republic of (non-U.S. corporation)

	NUMBER	KIND	DATE
PATENT INFORMATION:	US 6288256	B1	20010911
APPLICATION INFO.:	US 1999-229124		19990112 (9)
RELATED APPLN. INFO.:	Continuation of Ser. No. US 1998-93681, filed on 9 Jun 1998, now patented, Pat. No. US 6054601 Division of Ser. No. US 1997-984094, filed on 3 Dec 1997, now patented, Pat. No. US 5808125		

	NUMBER	DATE
PRIORITY INFORMATION:	DE 1996-19649953	19961203
DOCUMENT TYPE:	Utility	
FILE SEGMENT:	GRANTED	
PRIMARY EXAMINER:	Wilson, James O.	
LEGAL REPRESENTATIVE:	Oblon, Spivak, McLelland, Maier & Neustadt, P.C.	
NUMBER OF CLAIMS:	37	
EXEMPLARY CLAIM:	1	
LINE COUNT:	927	

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB An aqueous organopolysiloxane-containing composition comprising
organopolysiloxanes of formula I:

HO [Si(A)(CH.sub.3).sub.z (OH).sub.1-z O].sub.a [Si(B)(R.sup.2).sub.y
(OH).sub.1-y O].sub.b [Si(C)(CH.sub.3)O].sub.c [Si(D)(OH)O].sub.d
H.(HX).sub.e (I),

wherein A is an aminoalkyl group of formula II:

H.sub.2 N (CH.sub.2).sub.f (NH).sub.g (CH.sub.2).sub.h Si(OR).sub.3-z
(CH.sub.3).sub.z (II),

in which 0 ≤ f ≤ 6, g = 0 if f = 0 and g = 1 if f > 0,
0 ≤ h ≤ 6 and 0 ≤ z ≤ 1;

B is a fluoroalkyl group of formula III:

R.sup.1 --Y--(CH.sub.2).sub.2 Si(R.sup.2)Y(OR).sub.3-y (III)

wherein R.sup.1 is a mono-, oligo- or perfluorinated alkyl group having
1-9 C atoms, or a mono-, oligo- or perfluorinated aryl group, Y is a
CH.sub.2, O or S group, R.sup.2 is a linear, branched or cyclic alkyl
group having 1-8 C atoms or an aryl group and 0 ≤ y ≤ 1;

C is an alkyl group of formula IV:

R.sub.3 --Si(CH.sub.3)(OR).sub.2 (IV),

and D is an alkyl group of formula V:

R.sub.3 --Si(OR).sub.3 (V)

wherein R.sub.3, in each case is identical or different, and is a linear, branched or cyclic alkyl group having 1-8 C atoms, and R, in each case is identical or different, and is a linear, branched or cyclic alkyl group having 1-8 C atoms or an aryl group;

and HX is an acid, in which X is an inorganic or **organic** acid radical, and 0<y<1, 0<z<1, a>0, b>0, c<0, d<0, e<0 and (a+b+c+d)>2, the composition being essentially free from **organic** solvents, having a flash point of more than 70.degree. C. and liberating essentially no alcohols by hydrolysis on dilution with water.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L8 ANSWER 9 OF 14 USPATFULL

ACCESSION NUMBER: 2000:50851 USPATFULL

TITLE: Fluoroalkyl-functional organopolysiloxane-containing compositions based on water, a process for their **preparation** and their use

INVENTOR(S): Standke, Burkhard, Loerrach, Germany, Federal Republic of
Edelmann, Roland, Wehr, Germany, Federal Republic of
Frings, Albert-Johannes, Rheinfelden, Germany, Federal Republic of
Horn, Michael, Rheinfelden, Germany, Federal Republic of
Jenkner, Peter, Rheinfelden, Germany, Federal Republic of
Laven, Ralf, Niederdossenbach, Germany, Federal Republic of
Mack, Helmut, Rheinfelden, Germany, Federal Republic of
Monkiewicz, Jaroslaw, Rheinfelden, Germany, Federal Republic of
PATENT ASSIGNEE(S): Huels Aktiengesellschaft, Marl, Germany, Federal Republic of (non-U.S. corporation)

	NUMBER	KIND	DATE
PATENT INFORMATION:	US 6054601		20000425
APPLICATION INFO.:	US 1998-93681		19980609 (9)
RELATED APPLN. INFO.:	Division of Ser. No. US 1997-984094, filed on 3 Dec 1997, now patented, Pat. No. US 5808125		

	NUMBER	DATE
PRIORITY INFORMATION:	DE 1996-19649953	19961203
DOCUMENT TYPE:	Utility	
FILE SEGMENT:	Granted	
PRIMARY EXAMINER:	Wilson, James O.	
LEGAL REPRESENTATIVE:	Oblon, Spivak, McClelland, Maier & Neustadt, P.C.	
NUMBER OF CLAIMS:	20	
EXEMPLARY CLAIM:	1	
LINE COUNT:	1118	

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB Organopolysiloxane containing compositions are prepared by mixing an organopolysiloxane containing an aminoalkyl group, an organopolysiloxane containing a fluoroalkyl group, and optionally, organopolysiloxanes

containing alkyl groups, together with water, or a water/acid mixture, or a water/acid/alcohol mixture, where the mixture is adjusted to have a pH in the range of 1-8, then removing the alcohol already present or formed during reaction.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L8 ANSWER 10 OF 14 USPATFULL

ACCESSION NUMBER: 1998:112194 USPATFULL

TITLE: Fluoroalkyl-functional organopolysiloxane-containing compositions based on water, a process for their preparation and their use

INVENTOR(S): Standke, Burkhard, Loerrach, Germany, Federal Republic of
Edelmann, Roland, Wehr, Germany, Federal Republic of
Frings, Albert-Johannes, Rheinfelden, Germany, Federal Republic of
Horn, Michael, Rheinfelden, Germany, Federal Republic of
Jenkner, Peter, Rheinfelden, Germany, Federal Republic of
Laven, Ralf, Niederdossenbach, Germany, Federal Republic of
Mack, Helmut, Rheinfelden, Germany, Federal Republic of
Monkiewicz, Jaroslaw, Rheinfelden, Germany, Federal Republic of

PATENT ASSIGNEE(S): Huels Aktiengesellschaft, Marl, Germany, Federal Republic of (non-U.S. corporation)

	NUMBER	KIND	DATE
PATENT INFORMATION:	US 5808125		19980915
APPLICATION INFO.:	US 1997-984094		19971203 (8)

	NUMBER	DATE
PRIORITY INFORMATION:	DE 1996-19649953	19961203
DOCUMENT TYPE:	Utility	
FILE SEGMENT:	Granted	
PRIMARY EXAMINER:	Siegel, Alan	
LEGAL REPRESENTATIVE:	Oblon, Spivak, McClelland, Maier & Neustadt, P.C.	
NUMBER OF CLAIMS:	8	
EXEMPLARY CLAIM:	1	
LINE COUNT:	822	

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB An aqueous organopolysiloxane-containing composition comprising organopolysiloxanes of formula I:

$$\text{HO}[\text{Si}(\text{A}) (\text{CH}_{\text{sub.3}})_{\text{sub.z}} (\text{OH})_{\text{sub.1-z}} \text{O}]_{\text{sub.a}} [\text{Si}(\text{B}) (\text{R}_{\text{sup.2}})_{\text{sub.y}} (\text{OH})_{\text{sub.1-y}} \text{O}]_{\text{sub.b}} [\text{Si}(\text{C}) (\text{CH}_{\text{sub.3}}) \text{O}]_{\text{sub.c}} [\text{Si}(\text{D}) (\text{OH}) \text{O}]_{\text{sub.d}} \text{H} \cdot (\text{HX})_{\text{sub.e}} \quad (\text{I}),$$

wherein A is an aminoalkyl group of formula II:

$$\text{H}_{\text{sub.2}} \text{N}(\text{CH}_{\text{sub.2}})_{\text{sub.f}} (\text{NH})_{\text{sub.g}} (\text{CH}_{\text{sub.2}})_{\text{sub.h}} \text{Si}(\text{OR})_{\text{sub.3-z}} (\text{CH}_{\text{sub.3}})_{\text{sub.z}} \quad (\text{II}),$$

in which $0 \leq \text{torsim.f} \leq \text{torsim.6}$, $g=0$ if $f=0$ and $g=1$ if $f>0$, $0 \leq \text{torsim.h} \leq \text{torsim.6}$ and $0 \leq \text{torsim.z} \leq \text{torsim.1}$;

B is a fluoroalkyl group of formula III:

$$\text{R}_{\text{sup.1}} \text{--Y--} (\text{CH}_{\text{sub.2}})_{\text{sub.2}} \text{Si}(\text{R}_{\text{sup.2}})_{\text{sub.y}} (\text{OR})_{\text{sub.3-y}} \quad (\text{III}),$$

wherein R^{sup.1} is a mono-, oligo- or perfluorinated alkyl group having 1-9 C atoms, or a mono-, oligo- or perfluorinated aryl group, Y is a CH_{sub.2}, O or S group, R^{sup.2} is a linear, branched or cyclic alkyl group having 1-8 C atoms or an aryl group and O_{ltorsim.y.ltorsim.1};

C is an alkyl group of formula IV:

R^{sup.3} --Si(CH_{sub.3}) (OR)_{sub.2} (IV),

and D is an alkyl group of formula V:

R^{sup.3} --Si(OR)_{sub.3} (V),

wherein R^{sup.3}, in each case is identical or different, and is a linear, branched or cyclic alkyl group having 1-8 C atoms, and R, in each case is identical or different, and is a linear, branched or cyclic alkyl group having 1-8 C atoms or an aryl group; and HX is an acid, in which X is an inorganic or **organic** acid radical, and O_{ltorsim.y.ltorsim.1}, O_{ltorsim.z.ltorsim.1}, a>0, b>0, c_{gtorsim.0}, d_{gtorsim.0}, e_{gtorsim.0} and (a+b+c+d)_{gtorsim.2}, the composition being essentially free from **organic** solvents, having a flash point of more than 70.degree. C. and liberating essentially no alcohols by hydrolysis on dilution with water.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L8 ANSWER 11 OF 14 USPATFULL

ACCESSION NUMBER: 97:93825 USPATFULL

TITLE: Silicon-containing networked non-linear optical compositions

INVENTOR(S): Jeng, Ru Jong, Chelmsford, MA, United States
Chen, Yong Ming, Lowell, MA, United States
Jain, Aloke Kumar, Bangalore, India
Kumar, Jayant, Lowell, MA, United States
Tripathy, Sukant Kishore, Acton, MA, United States
PATENT ASSIGNEE(S): University of Massachusetts Lowell, Lowell, MA, United States (U.S. corporation)

	NUMBER	KIND	DATE
PATENT INFORMATION:	US 5676883		19971014
APPLICATION INFO.:	US 1995-449159		19950524 (8)
RELATED APPLN. INFO.:	Division of Ser. No. US 1992-950398, filed on 23 Sep 1992, now patented, Pat. No. US 5433895		
DOCUMENT TYPE:	Utility		
FILE SEGMENT:	Granted		
PRIMARY EXAMINER:	Tucker, Philip		
LEGAL REPRESENTATIVE:	Hamilton, Brook, Smith & Reynolds, P.C.		
NUMBER OF CLAIMS:	9		
EXEMPLARY CLAIM:	1		
NUMBER OF DRAWINGS:	11 Drawing Figure(s); 8 Drawing Page(s)		
LINE COUNT:	767		

AB A nonlinear optical composition and a method of forming the nonlinear optical composition are disclosed. The nonlinear optical composition includes a silicon-containing component and a nonlinear optical component which causes the nonlinear optical composition to exhibit second order nonlinear optical polarization of electromagnetic radiation, such as light. The method includes forming a sol of the silicon-containing component and the nonlinear optical component of the composition. A gel is formed from the sol. The nonlinear optical component is then poled while the gel is exposed to conditions sufficient to cause formation of a nonlinear optical composition which exhibits second order nonlinear optical polarization of electromagnetic radiation.

L8 ANSWER 12 OF 14 USPATFULL

ACCESSION NUMBER: 97:33348 USPATFULL
TITLE: Chemically derived leucite
INVENTOR(S): Erbe, Erik M., Stillwater, MN, United States
Sapieszko, Ronald S., Woodbury, MN, United States
PATENT ASSIGNEE(S): Minnesota Mining and Manufacturing Company, St. Paul,
MN, United States (U.S. corporation)

	NUMBER	KIND	DATE
PATENT INFORMATION:	US 5622551		19970422
APPLICATION INFO.:	US 1995-536073		19950929 (8)
RELATED APPLN. INFO.:	Continuation of Ser. No. US 1994-338278, filed on 14 Nov 1994, now abandoned which is a continuation of Ser. No. US 1993-145493, filed on 29 Oct 1993, now abandoned		
DOCUMENT TYPE:	Utility		
FILE SEGMENT:	Granted		
PRIMARY EXAMINER:	Marcantoni, Paul		
LEGAL REPRESENTATIVE:	Griswold, Gary L., Kirn, Walter N., Bjorkman, Dale A.		
NUMBER OF CLAIMS:	37		
EXEMPLARY CLAIM:	1		
NUMBER OF DRAWINGS:	1 Drawing Figure(s); 1 Drawing Page(s)		
LINE COUNT:	1054		

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB Chemically derived leucite is claimed. The chemically derived leucite is obtained from a stable dispersion of a potassia precursor, an alumina precursor and a silica precursor having a specified dry weight solids content. Chemically derived tetragonal leucite is particularly useful as a component of a dental porcelain.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L8 ANSWER 13 OF 14 USPATFULL

ACCESSION NUMBER: 95:64668 USPATFULL
TITLE: Silicon-containing networked non-linear optical
compositions
INVENTOR(S): Jeng, Ru J., Chelmsford, MA, United States
Chen, Yong M., Lowell, MA, United States
Jain, Aloke K., Bangalore, India
Kumar, Jayant, Lowell, MA, United States
Tripathy, Sukant K., Acton, MA, United States
PATENT ASSIGNEE(S): University of Massachusetts Lowell, Lowell, MA, United
States (U.S. corporation)

	NUMBER	KIND	DATE
PATENT INFORMATION:	US 5433895		19950718
APPLICATION INFO.:	US 1992-950398		19920923 (7)
DOCUMENT TYPE:	Utility		
FILE SEGMENT:	Granted		
PRIMARY EXAMINER:	Tucker, Philip		
LEGAL REPRESENTATIVE:	Hamilton, Brook, Smith & Reynolds		
NUMBER OF CLAIMS:	11		
EXEMPLARY CLAIM:	1		
NUMBER OF DRAWINGS:	11 Drawing Figure(s); 8 Drawing Page(s)		
LINE COUNT:	754		

AB A nonlinear optical composition and a method of forming the nonlinear optical composition are disclosed. The nonlinear optical composition includes a silicon-containing component and a nonlinear optical component which causes the nonlinear optical composition to exhibit second order nonlinear optical polarization of electromagnetic radiation, such as light. The method includes forming a sol of the

silicon-containing component and the nonlinear optical component of the composition. A gel is formed from the sol. The nonlinear optical component is then poled while the gel is exposed to conditions sufficient to cause formation of a nonlinear optical composition which exhibits second order nonlinear optical polarization of electromagnetic radiation.

L8 ANSWER 14 OF 14 EUROPATFULL COPYRIGHT 2003 WILA

PATENT APPLICATION - PATENTANMELDUNG - DEMANDE DE BREVET

ACCESSION NUMBER: 1055718 EUROPATFULL EW 200048 FS OS
TITLE: OPTICAL ARTICLE, METHOD FOR PREPARING OPTICAL ARTICLE
AND **ORGANIC** SILICON COMPOUND.
OPTISCHES GERAET, DESSEN HERSTELLUNGSVERFAHREN UND
ORGANOSILICIUM VERBINDUNG.
ARTICLE OPTIQUE, PROCEDE DE FABRICATION ASSOCIE ET
COMPOSE ORGANO-SILICIE.
INVENTOR(S): KONDOU, Satoshi, 1-11-13, Kasuga, Ibaraki-shi Osaka
567-0031, JP;
OKA, Koichiro, 16-27, Nakahozumi 2-chome, Ibaraki-shi
Osaka 567-0034, JP
PATENT ASSIGNEE(S): TORAY INDUSTRIES, INC., 2-1, Nihonbashi Muromachi
2-chome, Chuo-ku, Tokyo 103-8666, JP
PATENT ASSIGNEE NO: 203533
AGENT: Coleiro, Raymond et al., MEWBURN ELLIS York House 23
Kingsway, London WC2B 6HP, GB
AGENT NUMBER: 47752
OTHER SOURCE: BEPA2000092 EP 1055718 A1 0020
SOURCE: Wila-EPZ-2000-H48-T1a
DOCUMENT TYPE: Patent
LANGUAGE: Anmeldung in Japanisch; Veroeffentlichung in Englisch;
Verfahren in Englisch
DESIGNATED STATES: R AT; R BE; R CH; R CY; R DE; R DK; R ES; R FI; R FR; R
GB; R GR; R IE; R IT; R LI; R LU; R MC; R NL; R PT; R SE
PATENT INFO.PUB.TYPE: EPA1 EUROPAEISCHE PATENTANMELDUNG (Internationale
Anmeldung)
PATENT INFORMATION:

	PATENT NO	KIND DATE
	EP 1055718	A1 20001129
'OFFENLEGUNGS' DATE:		20001129
APPLICATION INFO.:	EP 1999-959755	19991210
PRIORITY APPLN. INFO.:	JP 1998-351253	19981210
	JP 1999-131025	19990512
RELATED DOC. INFO.:	WO 99-JP6948	991210 INTAKZ
	WO 0034408	000615 INTPNR

=>